

ESIR SPP – TP1 & 2 (non noté)

Exercise 1:

In Java write a multithreaded program that manipulates one instance of `ArrayList<E>` containing Long integers (class `Long`) so that:

- 10 threads insert their ID into the list in random positions 10,000 times;
- 10 other threads delete random elements of the list 10,000 times;
- one observer thread prints out the size of the list every 0.2s.

1 – Write a first version of your program without any synchronisation. What do you observe?

Why do you think this is the case?

2 – Make your program thread-safe using a monitor. Do you need to use `signal` and `wait`?

3 – Measure the execution time of your program with 3, 7, 11, ... up to 43 threads. Draw a chart of your measurements. What do you observe?

Exercise 2:

In Java write a multithreaded program that manipulates one shared long variable so that:

- 5 threads increment this variable 1,000,000 times;
- 15 other threads read this variable 1,000,000 times, and write out what they have read onto the console every 20,000 iterations (with their ID as prefix).

1 – Write a first version of your program without any synchronisation. What do you observe?

Why do you think this is the case?

2 – Make your program thread-safe with a normal re-entrant lock. Measure the execution time taken by your program.

3 – Replace the normal lock by a read/write lock. Measure the execution time of your program. What do you observe? Why do you think this is the case?

Exercise 3:

1 – Implement your own version of a read/write lock using ~~normal re-entrant~~ **non-reentrant** locks (e.g. binary semaphores) in Java. You should have one Class called "MyRWLock" with four methods "lockRead()", "lockWrite()", "unlockRead()" and "unlockWrite()".

2 – Use this implementation in the code of exercise 2. Measure the execution time of your program. Do you observe any difference?

3 – (Optional) Merge both unlock operations into one single method.