

Fisheye Consistency: Keeping Data in Synchrony in a Georeplicated World

Roy Friedman^{*}, Michel Raynal^{**},^{***} François Taïani^{**}

Abstract: Over the last thirty years, numerous consistency conditions for replicated data have been proposed and implemented. Popular examples of such conditions include linearizability (or atomicity), sequential consistency, causal consistency, and eventual consistency. These consistency conditions are usually defined independently from the computing entities (nodes) that manipulate the replicated data; i.e., they do not take into account how computing entities might be linked to one another, or geographically distributed. To address this lack, as a first contribution, this paper introduces the notion of *proximity graph* between computing nodes. If two nodes are connected in this graph, their operations must satisfy a strong consistency condition, while the operations invoked by other nodes are allowed to satisfy a weaker condition. The second contribution is the use of such a graph to provide a generic approach to the hybridization of data consistency conditions into the same system. We illustrate this approach on sequential consistency and causal consistency, and present a model in which all data operations are causally consistent, while operations by neighboring processes in the proximity graph are sequentially consistent. The third contribution of the paper is the design and the proof of a distributed algorithm based on this proximity graph, which combines sequential consistency and causal consistency (the resulting condition is called *fish-eye consistency*). In doing so the paper not only extends the domain of consistency conditions, but provides a generic provably correct solution of direct relevance to modern georeplicated systems.

Key-words: Asynchronous message-passing system, Broadcast abstraction, Causal consistency, Data consistency, Data replication, Geographical distribution, Linearizability, Provable property, Sequential consistency.

La cohérence en œil de poisson : maintenir la synchronisation des données dans un monde géo-répliqué

Résumé : Au cours des trente dernières années, de nombreuses conditions de cohérence pour les données répliquées ont été proposées et mises en œuvre. Les exemples courants de ces conditions comprennent la linéarisabilité (ou atomicité), la cohérence séquentielle, la cohérence causale, et la cohérence éventuelle. Ces conditions de cohérence sont généralement définies indépendamment des entités informatiques (nœuds) qui manipulent les données répliquées; c'est à dire qu'elles ne prennent pas en compte la façon dont les entités informatiques peuvent être liées les unes aux autres, ou géographiquement distribuées. Pour combler ce manque, ce document introduit la notion de graphe de proximité entre les nœuds de calcul d'un système réparti. Si deux nœuds sont connectés dans ce graphe, leurs activités doivent satisfaire une condition de cohérence forte, tandis que les opérations invoquées par d'autres nœuds peuvent ne satisfaire qu'une condition plus faible. Nous proposons d'utiliser un tel graphe pour fournir une approche générique à l'hybridation de conditions de cohérence des données dans un même système. Nous illustrons cette approche sur l'exemple de la cohérence séquentielle et de la cohérence causale, et présentons un modèle dans lequel, d'une part, toutes les opérations sont causalement cohérentes, et, d'autre part, les opérations par des processus qui sont voisins dans le graphe de proximité satisfont la cohérence séquentielle. Nous proposons et prouvons un algorithme distribué basé sur ce graphe de proximité, qui combine la cohérence séquentielle et la cohérence causale (nous appelons la cohérence obtenue cohérence en œil de poisson). Ce faisant, le papier non seulement étend le domaine des conditions de cohérence, mais fournit une solution algorithmiquement correcte et générique directement applicable aux systèmes géo-répartis modernes.

Mots clés : Systèmes par passage de messages asynchrones, Abstractions de diffusion, Cohérence Causale, Cohérence des données, Réplication des données, Distribution géographiques, Linéarisabilité, Propriété prouvables, Cohérence Séquentielle

^{*} The Technion Haifa, Israel

^{**} Institut Universitaire de France

^{***} Université de Rennes 1, IRISA

1 Introduction

Data consistency in distributed systems Distributed computer systems are growing in size, be it in terms of machines, data, or geographic distribution. Insuring strong consistency guarantees (e.g., linearizability [19]) in such large-scale systems has attracted a lot of attention over the years, and remains today a highly challenging area, for reasons of cost, failures, and scalability. One popular strategy to address these challenges has been to propose and implement weaker guarantees (e.g., causal consistency [2], or eventual consistency [38]).

These weaker consistency models are not a desirable goal in themselves [5], but rather an unavoidable compromise to obtain acceptable performance and availability [7, 12, 39]. These works try in general to minimize the violations of strong consistency, as these create anomalies for programmers and users. They further emphasize the low probability of such violations in their real deployments [14].

Recent related works For brevity, we cannot name all the many weak consistency conditions that have been proposed in the past. We focus instead on the most recent works in this area. One of the main hurdles in building systems and applications based on weak consistency models is how to generate an eventually consistent and meaningful image of the shared memory or storage [38]. In particular, a paramount sticking point is how to handle conflicting concurrent write (or update) operations and merge their result in a way that suits the target application. To that end, various conditions that enables custom conflict resolution and a host of corresponding data-types have been proposed and implemented [3, 4, 9, 13, 25, 29, 35, 34].

Another form of hybrid consistency conditions can be found in the seminal works on *release consistency* [17, 20] and *hybrid consistency* [6, 15], which distinguish between strong and weak operations such that strong operations enjoy stronger consistency guarantees than weak operations. Additional mechanisms and frameworks that enable combining operations of varying consistency levels have been recently proposed in the context of large scale and geo-replicated data centers [37, 39].

Motivation and problem statement In spite of their benefits, the above consistency conditions generally ignore the relative “distance” between nodes in the underlying “infrastructure”, where the notions of “distance” and “infrastructure” may be logical or physical, depending on the application. This is unfortunate as distributed systems must scale out and geo-replication is becoming more common. In a geo-replicated system, the network latency and bandwidth connecting nearby servers is usually at least an order of magnitude better than what is obtained between remote servers. This means that the cost of maintaining strong consistency among nearby nodes becomes affordable compared to the overall network costs and latencies in the system.

Some production-grade systems acknowledge the importance of distance when enforcing consistency, and do propose consistency mechanisms based on node locations in a distributed system (e.g. whether nodes are located in the same or in different data-centers). Unfortunately these production-grade systems usually do not distinguish between semantics and implementation. Rather, their consistency model is defined in operational terms, whose full implications can be difficult to grasp. In Cassandra [21], for instance, the application can specify for each operation the type of consistency guarantee it desires. For example, the constraints QUORUM and ALL require the involvement of a quorum of replicas and of all replicas, respectively; while LOCAL_QUORUM is satisfied when a quorum of the local data center is contacted, and EACH_QUORUM requires a quorum in each data center. These guarantees are defined by their implementation, but do not provide the programmer with a precise image of the consistency they deliver.

The need to take into account “distance” into consistency models, and the current lack of any formal underpinning to do so are exactly what motivates the hybridization of consistency conditions that we propose in this paper (which we call *fish-eye consistency*). Fish-eye consistency conditions provide strong guarantees only for operations issued at nearby servers. In particular, there are many applications where one can expect that concurrent operations on the same objects are likely to be generated by geographically nearby nodes, e.g., due to business hours in different time zones, or because these objects represent localized information, etc. In such situations, a fish-eye consistency condition would in fact provide global strong consistency at the cost of maintaining only locally strong consistency.

Consider for instance a node A that is “close” to a node B , but “far” from a node C , a causally consistent read/write register will offer the same (weak) guarantees to A on the operations of B , as on the operations of C . This may be suboptimal, as many applications could benefit from varying levels of consistency conditioned on “how far” nodes are from each other. Stated differently: a node can accept that “remote” changes only reach it with weak guarantees (e.g.,

because information takes time to travel), but it wants changes “close” to it to come with strong guarantees (as “local” changes might impact it more directly).

In this work, we propose to address this problem by integrating a notion of *node proximity* in the definition of *data consistency*. To that end, we formally define a new family of hybrid consistency models that links the strength of data consistency with the proximity of the participating nodes. In our approach, a particular hybrid model takes as input a proximity graph, and two consistency conditions, taken from a set of totally ordered consistency conditions, namely a strong one and a weaker one. A classical set of totally ordered conditions is the following one: linearizability, sequential consistency, causal consistency, and PRAM-consistency [24]. Moreover, as already said, the notion of proximity can be geographical (cluster-based physical distribution of the nodes), or purely logical (as in some peer-to-peer systems).

The philosophy we advocate is related to that of Parallel Snapshot Isolation (PSI) proposed in [36]. PSI combines strong consistency (Snapshot Isolation) for transactions started at nodes in the same site of a geo-replicated system, but only ensures causality among transactions started at different sites. In addition, PSI prevents write-write conflicts by preventing concurrent transactions with conflicting write sets, with the exception of commutable objects.

Although PSI and our work operate at different granularities (fisheye-consistency is expressed on individual operations, each accessing a single object, while PSI addresses general transactions), they both show the interest of consistency conditions in which nearby nodes enjoy stronger semantics than remote ones. In spite of this similitude, however, the family of consistency conditions we propose distinguishes itself from PSI in a number of key dimensions. First, PSI is a specific condition while fisheye-consistency offers a general framework for defining multiple such conditions. PSI only distinguished between nodes at the same physical site and remote nodes, whereas fisheye-consistency accepts arbitrary proximity graphs, which can be physical or logical. Finally, the definition of PSI is given in [36] by a reference implementation, whereas fisheye-consistency is defined in functional terms as restrictions on the ordering of operations that can be seen by applications, independently of the implementation we propose. As a result, we believe that our formalism makes it easier for users to express and understand the semantics of a given consistency condition and to prove the correctness of a program written w.r.t. such a condition.

Roadmap The paper is composed of 6 sections. Section 2 introduces the system model and two classical data consistency conditions, namely, sequential consistency (SC) [23] and causal consistency (CC) [2]. Then, Section 3 defines the notion of *proximity graph* and the associated fisheye consistency condition, which considers SC as its strong condition and CC as its weak condition. Section 4 presents a broadcast abstraction, and Section 5 builds on top of this communication abstraction a distributed algorithm implementing this hybrid proximity-based data consistency condition. These algorithms are generic, where the genericity parameter is the proximity graph. Interestingly, their two extreme instantiations provide natural implementations of SC and CC. Finally, Section 6 concludes the paper.

2 System Model and Basic Consistency Conditions

2.1 System model

The system consists of n processes denoted p_1, \dots, p_n . We note Π the set of all processes. Each process is sequential and asynchronous. “Asynchronous” means that each process proceeds at its own speed, which is arbitrary, may vary with time, and remains always unknown to the other processes. Said differently, there is no notion of a global time that could be used by the processes.

Processes communicate by sending and receiving messages through channels. Each channel is reliable (no message loss, duplication, creation, or corruption), and asynchronous (transit times are arbitrary but finite, and remain unknown to the processes). Each pair of processes is connected by a bi-directional channel.

2.2 Basic notions and definitions

This section is a short reminder of the fundamental notions typically used to define the consistency guarantees of distributed objects, namely, operation, history, partial order on operations, and history equivalence. Interested readers will find in-depth presentations of these notions in textbooks such as [8, 18, 26, 30].

Concurrent objects with sequential specification A concurrent object is an object that can be simultaneously accessed by different processes. At the application level the processes interact through concurrent objects [18, 30]. Each object is defined by a sequential specification, which is a set including all the correct sequences of operations and their results that can be applied to and obtained from the object. These sequences are called *legal* sequences.

Execution history The execution of a set of processes interacting through objects is captured by a *history* $\widehat{H} = (H, \rightarrow_H)$, where \rightarrow_H is a partial order on the set H of the object operations invoked by the processes.

Concurrency and sequential history If two operations are not ordered in a history, they are said to be *concurrent*. A history is said to be *sequential* if it does not include any concurrent operations. In this case, the partial order \rightarrow_H is a total order.

Equivalent history Let $\widehat{H}|_p$ represent the projection of \widehat{H} onto the process p , i.e., the restriction of \widehat{H} to operations occurring at process p . Two histories \widehat{H}_1 and \widehat{H}_2 are *equivalent* if no process can distinguish them, i.e., $\forall p \in \Pi : \widehat{H}_1|_p = \widehat{H}_2|_p$.

Legal history \widehat{H} being a sequential history, let $\widehat{H}|_X$ represent the projection of \widehat{H} onto the object X . A history \widehat{H} is *legal* if, for any object X , the sequence $\widehat{H}|_X$ belongs to the specification of X .

Process Order Notice that since we assumed that processes are sequential, we restrict the discussion in this paper to execution histories \widehat{H} for which for every process p , $\widehat{H}|_p$ is sequential. This total order is also called the *process order* for p .

2.3 Sequential consistency

Intuitively, an execution is sequentially consistent if it could have been produced by executing (with the help of a scheduler) the processes on a multiprocessor. Formally, a history \widehat{H} is *sequentially consistent* (SC) if there exists a history \widehat{S} such that:

- \widehat{S} is sequential,
- \widehat{S} is legal (the specification of each object is respected),
- \widehat{H} and \widehat{S} are equivalent (no process can distinguish \widehat{H} —what occurred—and \widehat{S} —what we would like to see, to be able to reason about).

One can notice that SC does not demand that the sequence \widehat{S} respects the real-time occurrence order on the operations. This is the fundamental difference between linearizability and SC.




Figure 1: A sequentially consistent execution

An example of a history \widehat{H} that is sequentially consistent is shown in Figure 1. Let us observe that, although op_p^1 occurs before op_p^2 in physical time, op_p^1 does not see the effect of the write operation op_q^1 , and still returns 0. A legal sequential history \widehat{S} , equivalent to \widehat{H} , can be easily built, namely, $X.read \rightarrow 0$, $X.write(2)$, $X.write(3)$, $X.read \rightarrow 3$.

2.4 Causal consistency

In a sequentially consistent execution, all processes perceive all operations in the same order, which is captured by the existence of a sequential and legal history \widehat{S} . Causal consistency [2] relaxes this constraint for read-write registers, and allows different processes to perceive different orders of operations, as long as causality is preserved.

Formally, a history \widehat{H} in which processes interact through concurrent read/write registers is causally consistent (CC) if:

- There is a causal order \sim_H on the operations of \widehat{H} , i.e., a partial order that links each read to at most one latest write (or otherwise to an initial value \perp), so that the value returned by the read is the one written by this latest write and \sim_H respects the process order of all processes.
- For each process p_i , there is a sequential and legal history \widehat{S}_i that
 - is equivalent to $\widehat{H}|(p_i + W)$, where $\widehat{H}|(p_i + W)$ is the sub-history of \widehat{H} that contains all operations of p_i , plus the writes of all the other processes,
 - respects \sim_H (i.e., $\sim_H \subseteq \rightarrow_{S_i}$).

Intuitively, this definition means that all processes see causally related write operations in the same order, but can see operations that are not causally related ($o_1 \not\sim_H o_2 \wedge o_2 \not\sim_H o_1$) in different orders.




Figure 2: An execution that is causally consistent (but not sequentially consistent)

An example of causally consistent execution is given in Figure 2. The processes r and s observe the write operations on X by p (op_p^1) and q (op_q^1) in two different orders. This is acceptable in a causally consistent history because op_p^1 and op_q^1 are not causally related. This would not be acceptable in a sequentially consistent history, where the same total order on operations must be observed by all the processes. (When considering read/write objects, this constitutes the main difference between SC and CC.)

3 The Family of Fisheye Consistency Conditions

This section introduces a hybrid consistency model based on (a) two consistency conditions and (b) the notion of a proximity graph defined on the computing nodes (processes). The two consistency conditions must be totally ordered in the sense that any execution satisfying the stronger one also satisfies the weaker one. Linearizability and SC define such a pair of consistency conditions, and similarly SC and CC are such a pair.

3.1 The notion of a proximity graph

Let us assume that for physical or logical reasons linked to the application, each process (node) can be considered either close to or remote from other processes. This notion of “closeness” can be captured through a *proximity graph* denoted $\mathcal{G} = (\Pi, E_{\mathcal{G}} \subseteq \Pi \times \Pi)$, whose vertices are the n processes of the system (Π). The edges are undirected. $N_{\mathcal{G}}(p_i)$ denotes the neighbors of p_i in \mathcal{G} .

The aim of \mathcal{G} is to state the level of consistency imposed on processes in the following sense: the existence of an edge between two processes in \mathcal{G} imposes a stronger data consistency level than between processes not connected in \mathcal{G} .

Example To illustrate the semantic of \mathcal{G} , we extend the original scenario that Ahamad, Niger *et al* use to motivate causal consistency in [2]. Consider the three processes of Figure 3, *paris*, *berlin*, and *new-york*. Processes *paris* and *berlin* interact closely with one another and behave symmetrically : they concurrently write the shared variable X , then set the flags R and S respectively to 1, and finally read X . By contrast, process *new-york* behaves sequentially w.r.t. *paris* and *berlin*: *new-york* waits for *paris* and *berlin* to write on X , using the flags R and S , and then writes X .

| | | |
|--|---|---|
| process <i>paris</i> is $X \leftarrow 1$ $R \leftarrow 1$ $a \leftarrow X$ end process | process <i>berlin</i> is $X \leftarrow 2$ $S \leftarrow 1$ $b \leftarrow X$ end process | process <i>new-york</i> is repeat $c \leftarrow R$ until $c = 1$ repeat $d \leftarrow S$ until $d = 1$ $X \leftarrow 3$ end process |
|--|---|---|

Figure 3: *new-york* does not need to be closely synchronized with *paris* and *berlin*, calling for a hybrid form of consistency

If we assume a model that provides causal consistency at a minimum, the write of X by *new-york* is guaranteed to be seen after the writes of *paris* and *berlin* by all processes (because *new-york* waits on R and S to be set to 1). Causal consistency however does not impose any consistent order on the writes of *paris* and *berlin* on X . In the execution shown on Figure 4, this means that although *paris* reads 2 in X (and thus sees the write of *berlin* after its own write), *berlin* might still read 1 in b (thus perceiving ‘ X .write(1)’ and ‘ X .write(2)’ in the opposite order to that of *paris*).




Figure 4: Executing the program of Figure 3.

Sequential consistency removes this ambiguity: in this case, in Figure 4, *berlin* can only read 2 (the value it wrote) or 3 (written by *new-york*), but not 1. Sequential consistency is however too strong here: because the write operation of *new-york* is already causally ordered with those of *paris* and *berlin*, this operation does not need any additional synchronization effort. This situation can be seen as an extension of the *write concurrency freedom* condition introduced in [2]: *new-york* is here free of concurrent write w.r.t. *paris* and *berlin*, making causal consistency equivalent to sequential consistency for *new-york*. *paris* and *berlin* however write to X concurrently, in which case causal consistency is not enough to ensure strongly consistent results.

If we assume *paris* and *berlin* execute in the same data center, while *new-york* is located on a distant site, this example illustrates a more general case in which, because of a program’s logic or activity patterns, no operations at one site ever conflict with those at another. In such a situation, rather than enforce a strong (and costly) consistency in the whole system, we propose a form of consistency that is strong for processes within the same site (here *paris* and *berlin*), but weak between sites (here between *paris*, *berlin* on one hand and *new-york* on the other).

In our model, the synchronization needs of individual processes are captured by the *proximity graph* \mathcal{G} introduced at the start of this section and shown in Figure 5: *paris* and *berlin* are connected, meaning the operations they execute should be perceived as strongly consistent w.r.t. one another ; *new-york* is neither connected to *paris* nor *berlin*, meaning a weaker consistency is allowed between the operations executed at *new-york* and those of *paris* and *berlin*.




Figure 5: Capturing the synchronization needs of Fig. 3 with a proximity graph \mathcal{G}

3.2 Fisheye consistency for the pair (sequential consistency, causal consistency)

When applied to the scenario of Figure 4, fisheye consistency combines two consistency conditions (a strong and a weaker one, here causal and sequential consistency) and a proximity graph to form an hybrid distance-based consistency condition, which we call \mathcal{G} -fisheye (SC,CC)-consistency.

The intuition in combining SC and CC is to require that (write) operations be observed in the same order by all processes if:

- They are causally related (as in causal consistency),
- Or they occur on “close” nodes (as defined by \mathcal{G}).

Formal definition Formally, we say that a history \widehat{H} is \mathcal{G} -fisheye (SC,CC)-consistent if:

- There is a causal order \sim_H induced by \widehat{H} (as in causal consistency); and
- \sim_H can be extended to a subsuming order $\overset{\star}{\sim}_{H,\mathcal{G}}$ (i.e. $\sim_H \subseteq \overset{\star}{\sim}_{H,\mathcal{G}}$) so that

$$\forall p, q \in \mathcal{G} : (\overset{\star}{\sim}_{H,\mathcal{G}})|_{\{p, q\}} \text{ is a total order}$$

where $(\overset{\star}{\sim}_{H,\mathcal{G}})|_{(\{p, q\} \cap W)}$ is the restriction of $\overset{\star}{\sim}_{H,\mathcal{G}}$ to the write operations of p and q ; and

- for each process p_i there is a history \widehat{S}_i that
 - (a) is sequential and legal;
 - (b) is equivalent to $\widehat{H}|_{(p_i + W)}$; and
 - (c) respects $\overset{\star}{\sim}_{H,\mathcal{G}}$, i.e., $(\overset{\star}{\sim}_{H,\mathcal{G}})|_{(p_i + W)} \subseteq (\rightarrow_{S_i})$.

If we apply this definition to the example of Figure 4 with the proximity graph proposed in Figure 5 we obtain the following: because *paris* and *berlin* are connected in \mathcal{G} , $X.write(1)$ by *paris* and $X.write(2)$ by *berlin* must be totally ordered in $\overset{\star}{\sim}_{H,\mathcal{G}}$ (and hence in any sequential history \widehat{S}_i perceived by any process p_i). $X.write(3)$ by *new-york* must be ordered after the writes on X by *paris* and *berlin* because of the causality imposed by \sim_H . As a result, if the system is \mathcal{G} -fisheye (SC,CC)-consistent, $\mathbf{b?}$ can be equal to 2 or 3, but not to 1. This set of possible values is as in sequential consistency, with the difference that \mathcal{G} -fisheye (SC,CC)-consistency does not impose any total order on the operation of *new-york*.

Given a system of n processes, let \emptyset denote the graph \mathcal{G} with no edges, and K denote the graph \mathcal{G} with an edge connecting each pair of distinct processes. It is easy to see that CC is \emptyset -fisheye (SC,CC)-consistency. Similarly SC is K -fisheye (SC,CC)-consistency.

A larger example Figure 6 and Table 1 illustrate the semantic of \mathcal{G} -fisheye (SC,CC) consistency on a second, larger, example. In this example, the processes p and q on one hand, and r and s on the other hand, are neighbors in the proximity graph \mathcal{G} (shown on the left). There are two pairs of write operations: op_p^1 and op_q^1 on the register X , and op_p^2 and op_r^3 on the register Y . In a sequentially consistency history, both pairs of writes must be seen in the same order by all processes. As a consequence, if r sees the value 2 first (op_r^1) and then the value 3 (op_r^2) for X , s must do the same, and only the value 3 can be returned by $\mathbf{x?}$. For the same reason, only the value 3 can be returned by $\mathbf{y?}$, as shown in the first line of Table 1.

In a causally consistent history, however, both pairs of writes ($\{op_p^1, op_q^1\}$ and $\{op_p^2, op_r^3\}$) are causally independent. As a result, any two processes can see each pair in different orders. $\mathbf{x?}$ may return 2 or 3, and $\mathbf{y?}$ 4 or 5 (second line of Table 1).

\mathcal{G} -fisheye (SC,CC)-consistency provides intermediate guarantees: because p and q are neighbors in \mathcal{G} , op_p^1 and op_q^1 must be observed in the same order by all processes. $\mathbf{x?}$ must return 3, as in a sequentially consistent history. However, because p and r are not connected in \mathcal{G} , op_p^2 and op_r^3 may be seen in different orders by different processes (as in a causally consistent history), and $\mathbf{y?}$ may return 4 or 5 (last line of Table 1).


Figure 6: Illustrating \mathcal{G} -fisheye (SC,CC)-consistency

Table 1: Possible executions for the history of Figure 6

| Consistency | x? | y? |
|--|-------|-------|
| Sequential Consistency | 3 | 5 |
| Causal Consistency | {2,3} | {4,5} |
| \mathcal{G} -fisheye (SC,CC)-consistency | 3 | {4,5} |

4 Construction of an Underlying (SC,CC)-Broadcast Operation

Our implementation of \mathcal{G} -fisheye (SC,CC)-consistency relies on a broadcast operation with hybrid ordering guarantees. In this section, we present this hybrid broadcast abstraction, before moving on the actual implementation of \mathcal{G} -fisheye (SC,CC)-consistency in Section 5.

4.1 \mathcal{G} -fisheye (SC,CC)-broadcast: definition

The hybrid broadcast we proposed, denoted \mathcal{G} -(SC,CC)-broadcast, is parametrized by a proximity graph \mathcal{G} which determines which kind of delivery order should be applied to which messages, according to the position of the sender in the graph \mathcal{G} . Messages (SC,CC)-broadcast by processes which are neighbors in \mathcal{G} must be delivered in the same order at all the processes, while the delivery of the other messages only need to respect causal order.

The (SC,CC)-broadcast abstraction provides the processes with two operations, denoted `TOCO_broadcast()` and `TOCO_deliver()`. We say that messages are toco-broadcast and toco-delivered.

Causal message order Let M be the set of messages that are toco-broadcast. The causal message delivery order, denoted \rightsquigarrow_M , is defined as follows [10, 33]. Let $m_1, m_2 \in M$; $m_1 \rightsquigarrow_M m_2$, iff one of the following conditions holds:

- m_1 and m_2 have been toco-broadcast by the same process, with m_1 first;
- m_1 was toco-delivered by a process p_i before this process toco-broadcast m_2 ;
- There exists a message m such that $(m_1 \rightsquigarrow_M m) \wedge (m \rightsquigarrow_M m_2)$.

Definition of the \mathcal{G} -fisheye (SC,CC)-broadcast The (SC,CC)-broadcast abstraction is defined by the following properties.

Validity. If a process toco-delivers a message m , this message was toco-broadcast by some process. (No spurious message.)

Integrity. A message is toco-delivered at most once. (No duplication.)

\mathcal{G} -delivery order. For all the processes p and q such that (p, q) is an edge of \mathcal{G} , and for all the messages m_p and m_q such that m_p was toco-broadcast by p and m_q was toco-broadcast by q , if a process toco-delivers m_p before m_q , no process toco-delivers m_q before m_p .

Causal order. If $m_1 \rightsquigarrow_M m_2$, no process toco-delivers m_2 before m_1 .

Termination. If a process toco-broadcasts a message m , this message is toco-delivered by all processes.

It is easy to see that if \mathcal{G} has no edges, this definition boils down to causal delivery, and if \mathcal{G} is fully connected (clique), this definition specifies total order delivery respecting causal order. Finally, if \mathcal{G} is fully connected and we suppress the “causal order” property, the definition boils to total order delivery.

4.2 \mathcal{G} -fisheye (SC,CC)-broadcast: algorithm

Local variables To implement the \mathcal{G} -fisheye (SC,CC)-broadcast abstraction, each process p_i manages three local variables.

- $causal_i[1..n]$ is a local vector clock used to ensure a causal delivery order of the messages; $causal_i[j]$ is the sequence number of the next message that p_i will toco-deliver from p_j .
- $total_i[1..n]$ is a vector of logical clock values such that $total_i[i]$ is the local logical clock of p_i (Lamport’s clock), and $total_i[j]$ is the value of $total_j[j]$ as known by p_i .
- $pending_i$ is a set containing the messages received and not yet toco-delivered by p_i .

Description of the algorithm Let us remind that for simplicity, we assume that the channels are FIFO. Algorithm 1 describes the behavior of a process p_i . This behavior is decomposed into four parts.

The first part (lines 1-6) is the code of the operation `TOCO_broadcast(m)`. Process p_i first increases its local clock $total_i[i]$ and sends the protocol message `TOCOBC($m, \langle causal_i[\cdot], total_i[i], i \rangle$)` to each other process. In addition to the application message m , this protocol message carries the control information needed to ensure the correct toco-delivery of m , namely, the local causality vector ($causal_i[1..n]$), and the value of the local clock ($total_i[i]$). Then, this protocol message is added to the set $pending_i$ and $causal_i[i]$ is increased by 1 (this captures the fact that the future application messages toco-broadcast by p_i will causally depend on m).

The second part (lines 7-14) is the code executed by p_i when it receives a protocol message `TOCOBC($m, \langle s_caus_j^m[\cdot], s_tot_j^m, j \rangle$)` from p_j . When this occurs p_i adds first this protocol message to $pending_i$, and updates its view of the local clock of p_j ($total_i[j]$) to the sending date of the protocol message (namely, $s_tot_j^m$). Then, if the local clock of p_i is late ($total_i[i] \leq s_tot_j^m$), p_i catches up (line 11), and informs the other processes of it (line 12).

The third part (lines 15-17) is the processing of a catch up message from a process p_j . In this case, p_i updates its view of p_j ’s local clock to the date carried by the catch up message. Let us notice that, as channels are FIFO, a view $total_i[j]$ can only increase.

The final part (lines 18-31) is a background task executed by p_i , where the application messages are toco-delivered. The set C contains the protocol messages that were received, have not yet been toco-delivered, and are “minimal” with respect to the causality relation \rightsquigarrow_M . This minimality is determined from the vector clock $s_caus_j^m[1..n]$, and the current value of p_i ’s vector clock ($causal_i[1..n]$). If only causal consistency was considered, the messages in C could be delivered.

Then, p_i extracts from C the messages that can be toco-delivered. Those are usually called *stable* messages. The notion of stability refers here to the delivery constraint imposed by the proximity graph \mathcal{G} . More precisely, a set T_1 is first computed, which contains the messages of C that (thanks to the FIFO channels and the catch up messages) cannot be made unstable (with respect to the total delivery order defined by \mathcal{G}) by messages that p_i will receive in the future. Then the set T_2 is computed, which is the subset of T_1 such that no message received, and not yet toco-delivered, could make incorrect – w.r.t. \mathcal{G} – the toco-delivery of a message of T_2 .

Once a non-empty set T_2 has been computed, p_i extracts the message m whose timestamp $\langle s_tot_j^m[j], j \rangle$ is “minimal” with respect to the timestamp-based total order (p_j is the sender of m). This message is then removed from $pending_i$ and toco-delivered. Finally, if $j \neq i$, $causal_i[j]$ is increased to take into account this toco-delivery (all the messages m' toco-broadcast by p_i in the future will be such that $m \rightsquigarrow m'$, and this is encoded in $causal_i[j]$). If $j = i$, this causality update was done at line 5.

Theorem 1 Algorithm 1 implements a \mathcal{G} -fisheye (SC,CC)-broadcast.

Algorithm 1 The \mathcal{G} -fisheye (SC,CC)-broadcast algorithm executed by p_i

```

1: operation TOCO_broadcast( $m$ )
2:    $total_i[i] \leftarrow total_i[i] + 1$ 
3:   for all  $p_j \in \Pi \setminus \{p_i\}$  do send TOCOBC( $m, \langle causal_i[\cdot], total_i[i], i \rangle$ ) to  $p_j$ 
4:    $pending_i \leftarrow pending_i \cup \langle m, \langle causal_i[\cdot], total_i[i], i \rangle$ 
5:    $causal_i[i] \leftarrow causal_i[i] + 1$ 
6: end operation

7: on receiving TOCOBC( $m, \langle s\_caus_j^m[\cdot], s\_tot_j^m, j \rangle$ )
8:    $pending_i \leftarrow pending_i \cup \langle m, \langle s\_caus_j^m[\cdot], s\_tot_j^m, j \rangle$ 
9:    $total_i[j] \leftarrow s\_tot_j^m$  ▷ Last message from  $p_j$  had timestamp  $s\_tot_j^m$ 
10:  if  $total_i[i] \leq s\_tot_j^m$  then
11:     $total_i[i] \leftarrow s\_tot_j^m + 1$  ▷ Ensuring global logical clocks
12:    for all  $p_k \in \Pi \setminus \{p_i\}$  do send CATCH_UP( $total_i[i], i$ ) to  $p_k$ 
13:  end if
14: end on receiving

15: on receiving CATCH_UP( $last\_date_j, j$ )
16:    $total_i[j] \leftarrow last\_date_j$ 
17: end on receiving

18: background task  $T$  is
19:  loop forever
20:   wait until  $C \neq \emptyset$  where
21:    $C \equiv \{ \langle m, \langle s\_caus_j^m[\cdot], s\_tot_j^m, j \rangle \rangle \in pending_i \mid s\_caus_j^m[\cdot] \leq causal_i[\cdot] \}$ 
22:   wait until  $T_1 \neq \emptyset$  where
23:    $T_1 \equiv \{ \langle m, \langle s\_caus_j^m[\cdot], s\_tot_j^m, j \rangle \rangle \in C \mid \forall p_k \in N_{\mathcal{G}}(p_j) : \langle total_i[k], k \rangle > \langle s\_tot_j^m, j \rangle \}$ 
24:   wait until  $T_2 \neq \emptyset$  where
25:    $T_2 \equiv \left\{ \langle m, \langle s\_caus_j^m[\cdot], s\_tot_j^m, j \rangle \rangle \in T_1 \mid \begin{array}{l} \forall p_k \in N_{\mathcal{G}}(p_j), \\ \forall \langle m_k, \langle s\_caus_k^{m_k}[\cdot], s\_tot_k^{m_k}, k \rangle \rangle \\ \in pending_i : \\ \langle s\_tot_k^{m_k}, k \rangle > \langle s\_tot_j^m, j \rangle \end{array} \right\}$ 
26:    $\langle m_0, \langle s\_caus_{j_0}^{m_0}[\cdot], s\_tot_{j_0}^{m_0}, j_0 \rangle \rangle \leftarrow \arg \min_{\langle m, \langle s\_caus_j^m[\cdot], s\_tot_j^m, j \rangle \rangle \in T_2} \{ \langle s\_tot_j^m, j \rangle \}$ 
27:    $pending_i \leftarrow pending_i \setminus \langle m_0, \langle s\_caus_{j_0}^{m_0}[\cdot], s\_tot_{j_0}^{m_0}, j_0 \rangle \rangle$ 
28:   TOCO_deliver( $m_0$ ) to application layer
29:   if  $j_0 \neq i$  then  $causal_i[j_0] \leftarrow causal_i[j_0] + 1$  end if ▷ for  $causal_i[i]$  see line 5
30:  end loop forever
31: end background task

```

4.3 Proof of Theorem 1

The proof combines elements of the proofs of the traditional causal-order [11, 33] and total-order broadcast algorithms [22, 7] on which Algorithm 1 is based. It relies in particular on the monotonicity of the clocks $causal_i[1..n]$ and $total_i[1..n]$, and the reliability and FIFO properties of the underlying communication channels. We first prove some useful lemmata, before proving termination, causal order, and \mathcal{G} -delivery order in intermediate theorems. We finally combine these intermediate results to prove Theorem 1.

We use the usual partial order on vector clocks:

$$C_1[\cdot] \leq C_2[\cdot] \text{ iff } \forall p_i \in \Pi : C_1[i] \leq C_2[i]$$

with its accompanying strict partial order:

$$C_1[\cdot] < C_2[\cdot] \text{ iff } C_1[\cdot] \leq C_2[\cdot] \wedge C_1[\cdot] \neq C_2[\cdot]$$

We use the lexicographic order on the scalar clocks $\langle s_tot_j, j \rangle$:

$$\langle s_tot_j, j \rangle < \langle s_tot_i, i \rangle \text{ iff } (s_tot_j < s_tot_i) \vee (s_tot_j = s_tot_i \wedge i < j)$$

We start by three useful lemmata on $causal_i[\cdot]$ and $total_i[\cdot]$. These lemmata establish the traditional properties expected of logical and vector clocks.

Lemma 1 *The following holds on the clock values taken by $causal_i[\cdot]$:*

1. *The successive values taken by $causal_i[\cdot]$ in Process p_i are monotonically increasing.*
2. *The sequence of $causal_i[\cdot]$ values attached to TOCOBC messages sent out by Process p_i are strictly increasing.*

Proof Proposition 1 is derived from the fact that the two lines that modify $causal_i[\cdot]$ (lines 5, and 29) only increase its value. Proposition 2 follows from Proposition 1 and the fact that line 5 insures successive TOCOBC messages cannot include identical $causal_i[i]$ values. \square Lemma 1

Lemma 2 *The following holds on the clock values taken by $total_i[\cdot]$:*

1. *The successive values taken by $total_i[i]$ in Process p_i are monotonically increasing.*
2. *The sequence of $total_i[i]$ values included in TOCOBC and CATCH_UP messages sent out by Process p_i are strictly increasing.*
3. *The successive values taken by $total_i[\cdot]$ in Process p_i are monotonically increasing.*

Proof Proposition 1 is derived from the fact that the lines that modify $total_i[i]$ (lines 2 and 11) only increase its value (in the case of line 11 because of the condition at line 10). Proposition 2 follows from Proposition 1, and the fact that lines 2 and 11 insures successive TOBOBC and CATCH_UP messages cannot include identical $total_i[i]$ values.

To prove Proposition 3, we first show that:

$$\forall j \neq i : \text{ the successive values taken by } total_i[j] \text{ in } p_i \text{ are monotonically increasing.} \quad (1)$$

For $j \neq i$, $total_i[j]$ can only be modified at lines 9 and 16, by values included in TOBOBC and CATCH_UP messages, when these messages are received. Because the underlying channels are FIFO and reliable, Proposition 2 implies that the sequence of $last_date_j$ and $s_tot_j^m$ values received by p_i from p_j is also strictly increasing, which shows equation (1).

From equation (1) and Proposition 1, we conclude that the successive values taken by the vector $total_i[\cdot]$ in p_i are monotonically increasing (Proposition 3). \square Lemma 2

Lemma 3 *Consider an execution of the protocol. The following invariant holds: for $i \neq j$, if m is a message sent from p_j to p_i , then at any point of p_i 's execution outside of lines 28-29, $s_caus_j^m[j] < causal_i[j]$ iff that m has been toco-delivered by p_i .*

Proof We first show that if m has been toco-delivered by p_i , then $s_caus_j^m[j] < causal_i[j]$, outside of lines 28-29. This implication follows from the condition $s_caus_j^m[\cdot] \leq causal_i[\cdot]$ at line 21, and the increment at line 29.

We prove the reverse implication by induction on the protocol's execution by process p_i . When p_i is initialized $causal_i[\cdot]$ is null:

$$causal_i^0[\cdot] = [0 \cdots 0] \quad (2)$$

because the above is true of any process, with Lemma 2, we also have

$$s_caus_j^m[\cdot] \geq [0 \cdots 0] \quad (3)$$

for all message m that is toco-broadcast by Process p_j .

(2) and (3) imply that there are no messages sent by p_j so that $s_caus_j^m[j] < causal_i^0[j]$, and the Lemma is thus true when p_i starts.

Let us now assume that the invariant holds at some point of the execution of p_i . The only step at which the invariant might become violated is when $causal_i[j_0]$ is modified for $j_0 \neq i$ at line 29. When this increment occurs, the condition $s_caus_{j_0}^m[j_0] < causal_i[j_0]$ of the lemma potentially becomes true for additional messages. We want to show that there is only one single additional message, and that this message is m_0 , the message that has just been delivered at line 28, thus completing the induction, and proving the lemma.

For clarity's sake, let us denote $causal_i^{\circ}[j_0]$ the value of $causal_i[j_0]$ just before line 29, and $causal_i^{\bullet}[j_0]$ the value just after. We have $causal_i^{\bullet}[j_0] = causal_i^{\circ}[j_0] + 1$.

We show that $s_caus_{j_0}^{m_0}[j_0] = causal_i^{\circ}[j_0]$, where $s_caus_{j_0}^{m_0}[\cdot]$ is the causal timestamp of the message m_0 delivered at line 28. Because m_0 is selected at line 26, this implies that $m_0 \in T_2 \subseteq T_1 \subseteq C$. Because $m_0 \in C$, we have

$$s_caus_{j_0}^{m_0}[\cdot] \leq causal_i^{\circ}[\cdot] \quad (4)$$

at line 21, and hence

$$s_caus_{j_0}^{m_0}[j_0] \leq causal_i^{\circ}[j_0] \quad (5)$$

At line 21, m_0 has not been yet delivered (otherwise it would not be in $pending_i$). Using the contrapositive of our induction hypothesis, we have

$$s_caus_{j_0}^{m_0}[j_0] \geq causal_i^{\circ}[j_0] \quad (6)$$

(5) and (6) yield

$$s_caus_{j_0}^{m_0}[j_0] = causal_i^{\circ}[j_0] \quad (7)$$

Because of line 5, m_0 is the only message toco_broadcast by P_{j_0} whose causal timestamp verifies (7). From this unicity and (7), we conclude that after $causal_i[j_0]$ has been incremented at line 29, if a message m sent by P_{j_0} verifies $s_caus_{j_0}^m[j_0] < causal_i^{\bullet}[j_0]$, then

- either $s_caus_{j_0}^m[j_0] < causal_i^{\bullet}[j_0] - 1 = causal_i^{\circ}[j_0]$, and by induction assumption, m has already been delivered;
- or $s_caus_{j_0}^m[j_0] = causal_i^{\bullet}[j_0] - 1 < causal_i^{\circ}[j_0]$, and $m = m_0$, and m has just been delivered at line 28.

□ Lemma 3

Termination

Theorem 2 All messages toco-broadcast using Algorithm 1 are eventually toco-delivered by all processes in the system.

Proof We show Termination by contradiction. Assume a process p_i toco-broadcasts a message m_i with timestamp $\langle s_caus_i^{m_i}[\cdot], s_tot_i^{m_i}, i \rangle$, and that m_i is never toco-delivered by p_j .

If $i \neq j$, because the underlying communication channels are reliable, p_j receives at some point the TOCOBC message containing m_i (line 7), after which we have

$$\langle m_i, \langle s_caus_i^{m_i}[\cdot], s_tot_i^{m_i}, i \rangle \rangle \in pending_j \quad (8)$$

If $i = j$, m_i is inserted into $pending_i$ immediately after being toco-broadcast (line 4), and (8) also holds.

m_i might never be toco-delivered by p_j because it never meets the condition to be selected into the set C of p_j (noted C_j below) at line 21. We show by contradiction that this is not the case. First, and without loss of generality, we can choose m_i so that it has a minimal causal timestamp $s_caus_i^{m_i}[\cdot]$ among all the messages that j never toco-delivers (be it from p_i or from any other process). Minimality means here that

$$\forall m_x, p_j \text{ never delivers } m_x \Rightarrow \neg(s_caus_x^{m_x} < s_caus_i^{m_i}) \quad (9)$$

Let us now assume m_i is never selected into C_j , i.e., we always have

$$\neg(s_caus_i^{m_i}[\cdot] \leq causal_j[\cdot]) \quad (10)$$

This means there is a process p_k so that

$$s_caus_i^{m_i}[k] > causal_j[k] \quad (11)$$

If $i = k$, we can consider the message m'_i sent by i just before m_i (which exists since the above implies $s_caus_i^{m_i}[i] > 0$). We have $s_caus_i^{m'_i}[i] = s_caus_i^{m_i}[i] - 1$, and hence from (11) we have

$$s_caus_i^{m'_i}[i] \geq causal_j[k] \quad (12)$$

Applying Lemma 3 to (12) implies that p_j never toco-delivers m'_i either, with $s_caus_i^{m'_i}[i] < s_caus_i^{m_i}[i]$ (by way of Proposition 2 of Lemma 1), which contradicts (9).

If $i \neq k$, applying Lemma 3 to $causal_i[\cdot]$ when p_i toco-broadcasts m_i at line 3, we find a message m_k sent by p_k with $s_caus_k^{m_k}[k] = s_caus_i^{m_i}[k] - 1$ such that m_k was received by p_i before p_i toco-broadcast m_i . In other words, m_k belongs to the causal past of m_i , and because of the condition on C (line 21) and the increment at line 29, we have

$$s_caus_k^{m_k}[\cdot] < s_caus_i^{m_i}[\cdot] \quad (13)$$

As for the case $i = k$, (11) also implies

$$s_caus_k^{m_k}[k] \geq causal_j[k] \quad (14)$$

which with Lemma 3 implies that that p_j never delivers the message m_k from p_k , and with (13) contradicts m_i 's minimality (9).

We conclude that if a message m_i from p_i is never toco-delivered by p_j , after some point m_i remains indefinitely in C_j

$$m_i \in C_j \quad (15)$$

Without loss of generality, we can now choose m_i with the smallest total order timestamp $\langle s_tot_i^{m_i}, i \rangle$ among all the messages never delivered by p_j . Since these timestamps are totally ordered, and no timestamp is allocated twice, there is only one unique such message.

We first note that because channels are reliable, all processes $p_k \in N_G(p_i)$ eventually receive the TOCOBC protocol message of p_i that contains m_i (line 7 and following). Lines 10-11 together with the monotonicity of $total_k[k]$ (Proposition 1 of Lemma 2), insure that at some point all processes p_k have a timestamp $total_k[k]$ strictly larger than $s_tot_i^{m_i}$:

$$\forall p_k \in N_G(p_i) : total_k[k] > s_tot_i^{m_i} \quad (16)$$

Since all changes to $total_k[k]$ are systematically rebroadcast to the rest of the system using TOCOBC or CATCHUP protocol messages (lines 2 and 11), p_j will eventually update $total_j[k]$ with a value strictly higher than $s_tot_i^{m_i}$. This update, together with the monotonicity of $total_j[\cdot]$ (Proposition 3 of Lemma 2), implies that after some point:

$$\forall p_k \in N_G(p_i) : total_j[k] > s_tot_i^{m_i} \quad (17)$$

and that m_i is selected in T_1^j . We now show by contradiction that m_i eventually progresses to T_2^j . Let us assume m_i never meets T_2^j 's condition. This means that every time T_2^j is evaluated we have:

$$\exists p_k \in N_G(p_i), \exists \langle m_k, \langle s_caus_k^{m_k}[\cdot], s_tot_k^{m_k}, k \rangle \rangle \in pending_j : \quad (18)$$

$$\langle s_tot_k^{m_k}, k \rangle \leq \langle s_tot_i^m, i \rangle$$

Note that there could be different p_k and m_k satisfying (18) in each loop of Task T . However, because $N_G(p_i)$ is finite, the number of timestamps $\langle s_tot_k^{m_k}, k \rangle$ such that $\langle s_tot_k^{m_k}, k \rangle \leq \langle s_tot_i^m, i \rangle$ is also finite. There is therefore one process p_{k_0} and one message m_{k_0} that appear infinitely often in the sequence of (p_k, m_k) that satisfy (18). Since m_{k_0} can only be inserted once into $pending_j$, this means m_{k_0} remains indefinitely into T_2^j , and hence $pending_j$, and is never delivered. (18) and the fact that $i \neq k_0$ (because $p_i \notin N_G(p_i)$) yields

$$\langle s_tot_k^{m_{k_0}}, k_0 \rangle < \langle s_tot_i^m, i \rangle \quad (19)$$

which contradicts our assumption that m_i has the smallest total order timestamps $\langle s_tot_i^m, i \rangle$ among all messages never delivered to p_j . We conclude that after some point m_i remains indefinitely into T_2^j .

$$m_i \in T_2^j \quad (20)$$

If we now assume m_i is never returned by $\arg \min$ at line 26, we can repeat a similar argument on the finite number of timestamps smaller than $\langle s_tot_i^m, i \rangle$, and the fact that once they have been removed from $pending_j$ (line 27), messages are never inserted back, and find another message m_k with a strictly smaller time-stamp than p_j that is never delivered. The existence of m_k contradicts again our assumption on the minimality of m_i 's timestamp $\langle s_tot_i^m, i \rangle$ among undelivered messages.

This shows that m_i is eventually delivered, and ends our proof by contradiction. \square *Theorem 2*

Causal Order

We prove the causal order property by induction on the causal order relation \sim_M .

Lemma 4 Consider m_1 and m_2 , two messages toco-broadcast by Process p_i , with m_1 toco-broadcast before m_2 . If a process p_j toco-delivers m_2 , then it must have toco-delivered m_1 before m_2 .

Proof We first consider the order in which the messages were inserted into $pending_j$ (along with their causal timestamps $s_caus_i^{m_i}$). For $i = j$, m_1 was inserted before m_2 at line 4 by assumption. For $i \neq j$, we note that if p_j delivers m_2 at line 28, then m_2 was received from p_i at line 7 at some earlier point. Because channels are FIFO, this also means

$$m_1 \text{ was received and added to } pending_j \text{ before } m_2 \text{ was.} \quad (21)$$

We now want to show that when m_2 is delivered by p_j , m_1 is no longer in $pending_j$, which will show that m_1 has been delivered before m_2 . We use an argument by contradiction. Let us assume that

$$\langle m_1, \langle s_caus_i^{m_1}, s_tot_i^{m_1}, i \rangle \rangle \in pending_j \quad (22)$$

at the start of the iteration of Task T which delivers m_2 to p_j . From Proposition 2 of Lemma 1, we have

$$s_caus_i^{m_1} < s_caus_i^{m_2} \quad (23)$$

which implies that m_1 is selected into C along with m_2 (line 21):

$$\langle m_1, \langle s_caus_i^{m_1}, s_tot_i^{m_1}, i \rangle \rangle \in C$$

Similarly, from Proposition 2 of Lemma 2 we have:

$$s_tot_i^{m_1} < s_tot_i^{m_2} \quad (24)$$

which implies that m_1 must also belong to T_1 and T_2 (lines 23 and 25). (24) further implies that $\langle s_tot_i^{m_2}, i \rangle$ is not the minimal s_tot timestamp of T_2 , and therefore $m_0 \neq m_2$ in this iteration of Task T . This contradicts our assumption that m_2 was delivered in this iteration; shows that (22) must be false; and therefore with (21) that m_1 was delivered before m_2 . \square *Lemma 4*

Lemma 5 Consider m_1 and m_2 so that m_1 was toco-delivered by a process p_i before p_i toco-broadcasts m_2 . If a process p_j toco-delivers m_2 , then it must have toco-delivered m_1 before m_2 .

Proof Let us note p_k the process that has toco-broadcast m_1 . Because m_2 is toco-broadcasts by p_i after p_i toco-delivers m_1 and increments $causal_i[k]$ at line 29, we have, using Lemma 3 and Proposition 1 of Lemma 1:

$$s_caus_k^{m_1}[k] < s_caus_i^{m_2}[k] \quad (25)$$

Because of the condition on set C at line 21, when p_j toco-delivers m_2 at line 28, we further have

$$s_caus_i^{m_2}[\cdot] \leq causal_j[\cdot] \quad (26)$$

and hence using (25)

$$s_caus_k^{m_1}[k] < s_caus_i^{m_2}[k] \leq causal_j[k] \quad (27)$$

Applying Lemma 3 to (27), we conclude that p_j must have toco-delivered m_1 when it delivers m_2 . $\square_{Lemma 5}$

Theorem 3 Algorithm 1 respects causal order.

Proof We finish the proof by induction on \sim_M . Let's consider three messages m_1, m_2, m_3 such that

$$m_1 \sim_M m_3 \sim_M m_2 \quad (28)$$

and such that:

- if a process toco-delivers m_3 , it must have toco-delivered m_1 ;
- if a process toco-delivers m_2 , it must have toco-delivered m_3 ;

We want to show that if a process toco-delivers m_2 , it must have toco-delivered m_1 . This follows from the transitivity of temporal order. This result together with Lemmas 4 and 5 concludes the proof. $\square_{Theorem 3}$

\mathcal{G} -delivery order

Theorem 4 Algorithm 1 respects \mathcal{G} -delivery order.

Proof Let's consider four processes p_l, p_h, p_i , and p_j . p_l and p_h are connected in \mathcal{G} . p_l has toco-broadcast a message m_l , and p_h has toco-broadcast a message m_h . p_i has toco-delivered m_l before m_h . p_j has toco-delivered m_h . We want to show that p_j has toco-delivered m_l before m_h .

We first show that:

$$\langle s_tot_h^{m_h}, h \rangle > \langle s_tot_l^{m_l}, l \rangle \quad (29)$$

We do so by considering the iteration of the background task T (lines 18-18) of p_i that toco-delivers m_l . Because $p_h \in N_{\mathcal{G}}(p_l)$, we have

$$\langle total_i[h], h \rangle > \langle s_tot_l^{m_l}, l \rangle \quad (30)$$

at line 23.

If m_h has not been received by p_i yet, then because of Lemma 3.2, and because communication channels are FIFO and reliable, we have:

$$\langle s_tot_h^{m_h}, l \rangle > \langle total_i[h], h \rangle \quad (31)$$

which with (30) yields (29).

If m_h has already been received by p_i , by assumption it has not been toco-delivered yet, and is therefore in $pending_i$. More precisely we have:

$$\langle m_h, \langle s_caus_h^{m_h}[\cdot], s_tot_h^{m_h}, h \rangle \rangle \in pending_i \quad (32)$$

which, with $p_h \in N_{\mathcal{G}}(p_l)$, and the fact that m_l is selected in T_2^i at line 25 also gives us (29).

We now want to show that p_j must have toco-delivered m_l before m_h . The reasoning is somewhat the symmetric of what we have done. We consider the iteration of the background task T of p_j that toco-delivers m_h . By the same reasoning as above we have

$$\langle total_j[l], l \rangle > \langle s_tot_h^{m_h}, h \rangle \quad (33)$$

at line 23.

Because of Lemma 3.2, and because communication channels are FIFO and reliable, (33) and (29) imply that m_l has already been received by p_j . Because m_h is selected in T_2^j at line 25, (29) implies that m_h is no longer in $pending_j$, and so must have been toco-delivered by p_j earlier, which concludes the proof. $\square_{Theorem 4}$

Theorem 1 *Algorithm 1 implements a \mathcal{G} -fisheye (SC,CC)-broadcast.*

Proof

- Validity and Integrity follow from the integrity and validity of the underlying communication channels, and from how a message m_j is only inserted once into $pending_i$ (at line 4 if $i = j$, at line 8 otherwise) and always removed from $pending_i$ at line 27 before it is toco-delivered by p_i at line 28;
- \mathcal{G} -delivery order follows from Theorem 4;
- Causal order follows from Theorem 3;
- Termination follows from Theorem 2.

$\square_{Theorem 1}$

5 An Algorithm Implementing \mathcal{G} -Fisheye (SC,CC)-Consistency

5.1 The high level object operations read and write

Algorithm 2 uses the \mathcal{G} -fisheye (SC,CC)-broadcast we have just presented to realized \mathcal{G} -fisheye (SC,CC)-consistency using a fast-read strategy. This algorithm is derived from the fast-read algorithm for sequential consistency proposed by Attiya and Welch [7], in which the total order broadcast has been replaced by our \mathcal{G} -fisheye (SC,CC)-broadcast.

Algorithm 2 Implementing \mathcal{G} -fisheye (SC,CC)-consistency, executed by p_i

```

1: operation  $X.write(v)$ 
2:   TOCO_broadcast(WRITE( $X, v, i$ ))
3:    $delivered_i \leftarrow false$ ;
4:   wait until  $delivered_i = true$ 
5: end operation

6: operation  $X.read()$ 
7:   return  $v_x$ 
8: end operation

9: on toco_deliver WRITE( $X, v, j$ )
10:   $v_x \leftarrow v$ ;
11:  if ( $i = j$ ) then  $delivered_i \leftarrow true$  endif
12: end on toco_deliver

```

The $write(X, v)$ operation uses the \mathcal{G} -fisheye (SC,CC)-broadcast to propagate the new value of the variable X . To insure any other write operations that must be seen *before* $write(X, v)$ by p_i are properly processed, p_i enters a waiting loop (line 4), which ends after the message WRITE(X, v, i) that has been toco-broadcast at line 2 is toco-delivered at line 11.

The $read(X)$ operation simply returns the local copy v_x of X . These local copies are updated in the background when WRITE(X, v, j) messages are toco-delivered.

Theorem 5 Algorithm 2 implements \mathcal{G} -fisheye (SC,CC)-consistency.

5.2 Proof of Theorem 5

The proof uses the causal order on messages \sim_M provided by the \mathcal{G} -fisheye (SC,CC)-broadcast to construct the causal order on operations \sim_H . It then gradually extends \sim_H to obtain $\star_{H,\mathcal{G}}$. It first uses the property of the broadcast algorithm on messages to-broadcast by processes that are neighbors in \mathcal{G} , and then adapts the technique used in [27, 31] to show that WW (write-write) histories are sequentially consistent. The individual histories \widehat{S}_i are obtained by taking a topological sort of $(\star_{H,\mathcal{G}})|(p_i + W)$.

For readability, we denote in the following $r_p(X, v)$ the read operation invoked by process p on object X that returns a value v ($X.\text{read} \rightarrow v$), and $w_p(X, v)$ the write operation of value v on object X invoked by process p ($X.\text{write}(v)$). We may omit the name of the process when not needed.

Let us consider a history $\widehat{H} = (H, \xrightarrow{po}_H)$ that captures an execution of Algorithm 2, i.e., \xrightarrow{po}_H captures the sequence of operations in each process (process order, po for short). We construct the causal order \sim_H required by the definition of Section 3.2 in the following, classical, manner:

- We connect each read operation $r_p(X, v) = X.\text{read} \rightarrow v$ invoked by process p (with $v \neq \perp$, the initial value) to the write operation $w(X, v) = X.\text{write}(v)$ that generated the $\text{WRITE}(X, v)$ message carrying the value v to p (line 10 in Algorithm 2). In other words, we add an edge $\langle w(X, v) \xrightarrow{rf} r_p(X, v) \rangle$ to \xrightarrow{po}_H (with w and r_p as described above) for each read operation $r_p(X, v) \in H$ that does not return the initial value \perp . We connect initial read operations $r(X, \perp)$ to an \perp element that we add to H .

We call these additional relations *read-from links* (noted \xrightarrow{rf}).

- We take \sim_H to be the transitive closure of the resulting relation.

\sim_H is acyclic, as assuming otherwise would imply at least one of the $\text{WRITE}(X, v)$ messages was received before it was sent. \sim_H is therefore an order. We now need to show \sim_H is a causal order in the sense of the definition of Section 2.4, i.e., that the result of each read operation $r(X, v)$ is the value of the latest write $w(X, v)$ that occurred before $r(X, v)$ in \sim_H (said differently, that no read returns an overwritten value).

Lemma 6 \sim_H is a causal order.

Proof We show this by contradiction. We assume without loss of generality that all values written are distinct. Let us consider $w_p(X, v)$ and $r_q(X, v)$ so that $w_p(X, v) \xrightarrow{rf} r_q(X, v)$, which implies $w_p(X, v) \sim_H r_q(X, v)$. Let us assume there exists a second write operation $w_r(X, v') \neq w_p(X, v)$ on the same object, so that

$$w_p(X, v) \sim_H w_r(X, v') \sim_H r_q(X, v) \quad (34)$$

(illustrated in Figure 7). $w_p(X, v) \sim_H w_r(X, v')$ means we can find a sequence of operations $op_i \in H$ so that

$$w_p(X, v) \rightarrow_0 op_0 \dots \rightarrow_i op_i \rightarrow_{i+1} \dots \rightarrow_k w_r(X, v') \quad (35)$$


with $\rightarrow_i \in \{\xrightarrow{po}_H, \xrightarrow{rf}\}$, $\forall i \in [1, k]$. The semantics of \xrightarrow{po}_H and \xrightarrow{rf} means we can construct a sequence of causally related (SC,CC)-broadcast messages $m_i \in M$ between the messages that are toco-broadcast by the operations $w_p(X, v)$ and $w_r(X, v')$, which we note $\text{WRITE}_p(X, v)$ and $\text{WRITE}_r(X, v')$ respectively:

$$\text{WRITE}_p(X, v) = m_0 \sim_M m_1 \dots \sim_M m_i \sim_M \dots \sim_M m_{k'} = \text{WRITE}_r(X, v') \quad (36)$$

where \sim_M is the message causal order introduced in Section 4.1. We conclude that $\text{WRITE}_p(X, v) \sim_M \text{WRITE}_r(X, v')$, i.e., that $\text{WRITE}_p(X, v)$ belongs to the causal past of $\text{WRITE}_r(X, v')$, and hence that q in Figure 7 toco-delivers $\text{WRITE}_r(X, v')$ after $\text{WRITE}_p(X, v)$.

We now want to show that $\text{WRITE}_r(X, v')$ is toco-delivered by q before q executes $r_q(X, v)$. We can apply the same reasoning as above to $w_r(X, v') \sim_H r_q(X, v)$, yielding another sequence of operations $op'_i \in H$:

$$w_r(X, v') \rightarrow'_0 op'_0 \dots \rightarrow'_i op'_i \rightarrow'_{i+1} \dots \rightarrow'_{k''} r_q(X, v) \quad (37)$$

Figure 7: Proving that \sim_H is causal by contradiction

with $\rightarrow'_i \in \{\overset{po}{\rightarrow}_H, \overset{rf}{\rightarrow}\}$. Because $r_q(X, v)$ does not generate any (SC,CC)-broadcast message, we need to distinguish the case where all op'_i relations correspond to the process order $\overset{po}{\rightarrow}_H$ (i.e., $op'_i = \overset{po}{\rightarrow}_H, \forall i$). In this case, $r = q$, and the blocking behavior of $X.write()$ (line 4 of Algorithm 2), insures that $WRITE_r(X, v')$ is toco-delivered by q before executing $r_q(X, v)$. If at least one op'_i corresponds to the read-from relation, we can consider the latest one in the sequence, which will denote the toco-delivery of a $WRITE_z(Y, w)$ message by q , with $WRITE_r(X, v') \sim_M WRITE_z(Y, w)$. From the causality of the (SC,CC)-broadcast, we also conclude that $WRITE_r(X, v')$ is toco-delivered by q before executing $r_q(X, v)$.

Because q toco-delivers $WRITE_p(X, v)$ before $WRITE_r(X, v')$, and toco-delivers $WRITE_r(X, v')$ before it executes $r_q(X, v)$, we conclude that the value v of v_x is overwritten by v' at line 10 of Algorithm 2, and that $r_q(X, v)$ does not return v , contradicting our assumption that $w_p(X, v) \overset{rf}{\rightarrow} r_q(X, v)$, and concluding our proof that \sim_H is a causal order. $\square_{Lemma 6}$

To construct $\overset{\star}{\sim}_{H, \mathcal{G}}$, as required by the definition of (SC,CC)-consistency (Section 3.2), we need to order the write operations of neighboring processes in the proximity graph \mathcal{G} . We do so as follows:

- We add an edge $w_p(X, v) \overset{ww}{\rightarrow} w_q(Y, w)$ to \sim_H for each pair of write operations $w_p(X, v)$ and $w_q(Y, w)$ in H such that:
 - $(p, q) \in E_{\mathcal{G}}$ (i.e., p and q are connected in \mathcal{G});
 - $w_p(X, v)$ and $w_q(Y, w)$ are not ordered in \sim_H ;
 - The broadcast message $WRITE_p(X, v)$ of $w_p(X, v)$ has been toco-delivered before the broadcast message $WRITE_p(Y, w)$ of $w_q(Y, w)$ by all processes.

We call these additional edges *ww links* (noted $\overset{ww}{\rightarrow}$).

- We take $\overset{\star}{\sim}_{H, \mathcal{G}}$ to be the recursive closure of the relation we obtain.

$\overset{\star}{\sim}_{H, \mathcal{G}}$ is acyclic, as assuming otherwise would imply that the underlying (SC,CC)-broadcast violates causality. Because of the \mathcal{G} -delivery order and termination of the toco-broadcast (Section 4.1), we know all pairs of $WRITE_p(X, v)$ and $WRITE_p(Y, w)$ messages with $(p, q) \in E_{\mathcal{G}}$ as defined above are toco-delivered in the same order by all processes. This insures that all write operations of neighboring processes in \mathcal{G} are ordered in $\overset{\star}{\sim}_{H, \mathcal{G}}$.

We need to show that $\overset{\star}{\sim}_{H, \mathcal{G}}$ remains a causal order, i.e., that no read in $\overset{\star}{\sim}_{H, \mathcal{G}}$ returns an overwritten value.

Lemma 7 $\overset{\star}{\sim}_{H, \mathcal{G}}$ is a causal order.

Proof We extend the original causal order \sim_M on the messages of an (SC,CC)-broadcast execution with the following order $\overset{\mathcal{G}}{\sim}_M$:

$m_1 \overset{\mathcal{G}}{\sim}_M m_2$ if

- $m_1 \sim_M m_2$; or
- m_1 was sent by p , m_2 by q , $(p, q) \in E_{\mathcal{G}}$, and m_1 is toco-delivered before m_2 by all processes; or
- there exists a message m_3 so that $m_1 \overset{\mathcal{G}}{\sim}_M m_3$ and $m_3 \overset{\mathcal{G}}{\sim}_M m_2$.

$\rightsquigarrow_M^{\mathcal{G}}$ captures the order imposed by an execution of an (SC,CC)-broadcast on its messages. The proof is then identical to that of Lemma 6, except that we use the order $\rightsquigarrow_M^{\mathcal{G}}$, instead of \rightsquigarrow_M . $\square_{\text{Lemma 7}}$

Theorem 5 *Algorithm 2 implements \mathcal{G} -fisheye (SC,CC)-consistency.*

Proof The order $\rightsquigarrow_{H,\mathcal{G}}^*$ we have just constructed fulfills the conditions required by the definition of \mathcal{G} -fisheye (SC,CC)-consistency (Section 3.2):

- by construction $\rightsquigarrow_{H,\mathcal{G}}^*$ subsumes \rightsquigarrow_H ($\rightsquigarrow_H \subseteq \rightsquigarrow_{H,\mathcal{G}}^*$);
- also by construction $\rightsquigarrow_{H,\mathcal{G}}^*$, any pair of write operations invoked by processes p, q that are neighbors in \mathcal{G} are ordered in $\rightsquigarrow_{H,\mathcal{G}}^*$; i.e., $(\rightsquigarrow_{H,\mathcal{G}}^*)|(\{p, q\} \cap W)$ is a total order.

To finish the proof, we choose, for each process p_i , \widehat{S}_i as one of the topological sorts of $(\rightsquigarrow_{H,\mathcal{G}}^*)|(p_i + W)$, following the approach of [27, 31]. \widehat{S}_i is sequential by construction. Because $\rightsquigarrow_{H,\mathcal{G}}^*$ is causal, \widehat{S}_i is legal. Because $\rightsquigarrow_{H,\mathcal{G}}^*$ respects \xrightarrow{po}_H , \widehat{S}_i is equivalent to $\widehat{H}|(p_i + W)$. Finally, \widehat{S}_i respects $(\rightsquigarrow_{H,\mathcal{G}}^*)|(p_i + W)$ by construction. $\square_{\text{Theorem 5}}$

6 Conclusion

This work was motivated by the increasing popularity of geographically distributed systems. We have presented a framework that enables to formally define and reason about mixed consistency conditions in which the operations invoked by nearby processes obey stronger consistency requirements than operations invoked by remote ones. The framework is based on the concept of a proximity graph, which captures the “closeness” relationship between processes. As an example, we have formally defined \mathcal{G} -fisheye (SC,CC)-consistency, which combines sequential consistency for operations by close processes with causal consistency among all operations. We have also provided a formally proven protocol for implementing \mathcal{G} -fisheye (SC,CC)-consistency.

Another natural example that has been omitted from this paper for brevity is \mathcal{G} -fisheye (LIN,SC)-consistency, which combines linearizability for operations by nearby nodes with an overall sequential consistency guarantee.

The significance of our approach is that the definitions of consistency conditions are functional rather than operational. That is, they are independent of a specific implementation, and provide a clear rigorous understanding of the provided semantics. This clear understanding and formal underpinning comes with improved complexity and performance, as illustrated in our implementation of \mathcal{G} -fisheye (SC,CC)-consistency, in which operations can terminate without waiting to synchronize with remote parts of the system.

More generally, we expect the general philosophy we have presented to extend to Convergent Replicated Datatypes (CRDT) in which not all operations are commutative [28]. These CRDTs usually require at a minimum causal communications to implement eventual consistency. The hybridization we have proposed opens up the path of CRDTs which are globally eventually consistent, and locally sequentially consistent, a route we plan to explore in future work.

Acknowledgments

This work has been partially supported by a French government support granted to the CominLabs excellence laboratory (Project *DeScenT: Plug-based Decentralized Social Network*) and managed by the French National Agency for Research (ANR) in the "Investing for the Future" program under reference Nb. ANR-10-LABX-07-01, and by the SocioPlug Project funded by French National Agency for Research (ANR), under program ANR INFRA (ANRANR-13-INFR-0003). We would also like to thank Matthieu Perrin for many enlightening discussions on the topic of weak consistency models, and for pointing out a flaw in an earlier definition of fisheye consistency.

References

- [1] Adve S. and Gharachorloo K., Shared memory consistency models: a tutorial. *IEEE Comp. Mag.*, 29(12):66-76, 1996.

- [2] Ahamad M., Niger G., Burns J.E., Hut to P.W., and Kohl P. Causal memory: definitions, implementation and programming. *Dist. Computing*, 9:37-49, 1995.
- [3] Almeida S., Leitaõ J., Rodrigues L., ChainReaction: a Causal+ Consistent Datastore based on Chain Replication. *8th ACM Europ. Conf. on Comp. Sys. (EuroSys'13)*, pp. 85-98, 2013.
- [4] Alvaro P., Bailis P., Conway N., and Hellerstein J. M. Consistency without borders *4th ACM Symp. on Cloud Computing (SOCC '13)*, 2013, 23
- [5] Attiya H. and Friedman R., A correctness condition for high-performance multiprocessors. *SIAM Journal on Computing*, 27(6):1637-1670, 1998.
- [6] Attiya H. and Friedman R., Limitations of Fast Consistency Conditions for Distributed Shared Memories. *Information Processing Letters*, 57(5):243-248, 1996.
- [7] Attiya H. and Welch J.L., Sequential consistency versus linearizability. *ACM Trans. on Comp. Sys.*, 12(2):91-12, 1994.
- [8] Attiya H. and Welch J.L., *Distributed computing: fundamentals, simulations and advanced topics, (2nd Edition)*, Wiley-Interscience, 414 pages, 2004 (ISBN 0-471-45324-2).
- [9] Bailis P., Ghodsi A., Hellerstein J. M., and Stoica I., Bolt-on Causal Consistency *2013 ACM SIGMOD Int. Conf. on Management of Data (SIGMOD'13)*, pp. 761-772, 2013.
- [10] Birman K.P. and Joseph T.A., Reliable communication in presence of failures. *ACM Trans. on Comp. Sys.*, 5(1):47-76, 1987.
- [11] Birman K., Schiper A., and Stephenson P., Lightweight Causal and Atomic Group Multicast *ACM Trans. Comput. Syst.*, vol. 9, pp. 272-314, 1991.
- [12] Brewer E., Towards Robust Towards Robust Distributed Systems *19th ACM Symposium on Principles of Distributed Computing (PODC)*, Invited talk, 2000.
- [13] Burckhardt S., Gotsman A., Yang H., and Zawirski M., Replicated Data Types: Specification, Verification, Optimality *41st ACM Symp. on Principles of Prog. Lang. (POPL'14)*, pp. 271-284, 2014.
- [14] DeCandia G., Hastorun D., Jampani M., Kakulapati G., Lakshman A., Pilchin A., Sivasubramanian S., Vosshall P., and Vogels W., Dynamo: amazon's highly available key-value store *21st ACM Symp. on Op. Sys. Principles (SOSP'07)*, pp. 205-220, 2007
- [15] Friedman R., Implementing Hybrid Consistency with High-Level Synchronization Operations. *Distributed Computing*, 9(3):119-129, 1995.
- [16] Garg V.K. and Raynal M., Normality: a consistency condition for concurrent objects. *Parallel Processing Letters*, 9(1):123-134, 1999.
- [17] , Gharachorloo K., Lenoski D., Laudon J., Gibbons P., Gupta A., and Hennessy J., Memory consistency and event ordering in scalable shared-memory multiprocessors. *17th ACM Annual International Symp. on Comp. Arch. (ISCA)*, pp. 15-26, 1990.
- [18] Herlihy M. and Shavit N., *The Art of Multiprocessor Programming*, Morgan Kaufmann Publishers Inc., 508 pages, 2008 (ISBN 978-0-12-370591-4).
- [19] Herlihy M. and Wing J., Linearizability: a correctness condition for concurrent objects. *ACM Transactions on Programming Languages and Systems*, 12(3):463-492, 1990.
- [20] Keleher P. Cox A.L., and Zwaenepoel W., Lazy release consistency for software distributed shared memory. *Proc. 19th ACM Int'l Symp. on Comp. Arch. (ISCA'92)*, pages 13-21, 1992.
- [21] Lakshman A., and Malik P., Cassandra: a decentralized structured storage system. *SIGOPS Oper. Syst. Rev.*, volume 44, pp. 35-40, 201.
- [22] Lamport L., Time, Clocks and the Ordering of Events in a Distributed System *Comm. of the ACM*, vol. 21, pp. 558-565, 1978
- [23] Lamport L., How to make a multiprocessor computer that correctly executes multiprocess programs. *IEEE Trans. on Comp.*, C28(9):690-691, 1979.
- [24] PRAM: A Scalable Shared Memory. *Technical Report CS-TR-180-88*, Princeton University, September 1988.

- [25] Lloyd W., Freedman M. J., Kaminsky M., and Andersen D. G., Don't Settle for Eventual: Scalable Causal Consistency for Wide-area Storage with COPS *23rd ACM Symp. on Op. Sys. Principles*, pp. 401-416, 2011
- [26] Lynch N.A., *Distributed Algorithms*. Morgan Kaufman Pub., San Francisco (CA), 872 pages, 1996.
- [27] Mizuno M., Raynal M., and Zhou J. Z., Sequential Consistency in Distributed Systems Selected Papers from the International *Workshop on Theory and Practice in Dist. Sys.*, Springer, pp. 224-241, 1995
- [28] Oster, G., Urso, P., Molli, P., and Imine, A. Data consistency for P2P collaborative editing. *Proceedings of the 2006 20th anniversary conference on Computer supported cooperative work*, ACM, pp. 259-268, 2006
- [29] Preguiça N.M., Marquès, J.M., Shapiro M., and Letia M., A Commutative Replicated Data Type for Cooperative Editing. *Proc. 29th IEEE Int'l Conf. on Dist. Comp. Sys. (ICDCS'09)*, pp. 395–403, 2009.
- [30] Raynal M., *Concurrent Programming: Algorithms, Principles, and Foundations*, Springer, 515 pages, 2013, ISBN 978-3-642-32026-2.
- [31] Raynal M., *Distributed Algorithms for Message-passing Systems*, Springer, 500 pages, 2013, ISBN 978-3-642-38122-5.
- [32] Raynal M. and Schiper A., A suite of formal definitions for consistency criteria in distributed shared Memories. *9th Int'l IEEE Conf. on Parallel and Dist. Comp. Sys. (PDCS'96)*, pp. 125-131, 1996.
- [33] Raynal M., Schiper A., and Toueg S., The Causal Ordering Abstraction and a Simple Way to Implement. *Information Processing Letters*, 39(6):343-350, 1991.
- [34] Saito Y. and Shapiro M., Optimistic Replication. *ACM Computing Survey*, 37(1):42-81, March 2005.
- [35] Shapiro M., Preguiça N.M., Baquero C., and Zawirski M., Convergent and Commutative Replicated Data Types. *Bulletin of the EATCS*, 104:67-88, 2011.
- [36] Sovran Y., Power R., Aguilera M. K., and Li J., Transactional Storage for Geo-Replicated Systems. *23rd ACM Symposium on Operating Systems Principles (SOSP'11)*, pp. 385-400, 2011.
- [37] Terry D. B., Prabhakaran V., Kotla R., Balakrishnan M., Aguilera M. K., and Abu-Libdeh H., Consistency-based Service Level Agreements for Cloud Storage, *24th ACM Symp. on Op. Sys. Principles (SOSP'13)*, pp. 309-324, 2013.
- [38] Terry D. B., Theimer M. M., Petersen K., Demers A. J., Spreitzer M. J., and Hauser C. H., Managing Update Conflicts in Bayou, a Weakly Connected Replicated Storage System *15th ACM Symp. on Op. Sys. Principles (SOSP'95)*, pp. 172-182, 1995.
- [39] Xie C., Su C., Kapritsos M., Wang Y., Yaghmazadeh N., Alvisi L., and Mahajan P., Salt: Combining ACID and BASE in a Distributed Database. *USENIX Operating Systems Design and Implementation (OSDI)*, 2014.